


Lisa M. Caldwell Klarquist Sparkman et al 121 SW Salmon Street Suite 1600

Portland, Oregon 97204 Telephone: 503/226-7391 Our Ref. No. 23-59243 Express Mail No. EL828141932US For: ARRAY-BASED PHOTOACOUSTIC SPECTROSCOPY









Lisa M. Caldwell Klarquist Sparkman et al 121 SW Salmon Street Suite 1600


Portland, Oregon 97204 Telephone: 503/226-7391 Our Ref. No. 23-59243 Express Mail No. EL828141932US For: ARRAY-BASED PHOTOACOUSTIC SPECTROSCOPY






Lisa M. Caldwell Klarquist Sparkman et al 121 SW Salmon Street Suite 1600

Portland, Oregon 97204 Telephone: 503/226-7391 Our Ref. No. 23-59243
Express Mail No. EL828141932US
For: ARRAY-BASED
PHOTOACOUSTIC
SPECTROSCOPY
Mailed: November 13, 2001



Lisa M. Caldwell Klarquist Sparkman et al 121 SW Salmon Street Suite 1600 Portland, Oregon 97204 Our Ref. No. 23-59243 Express Mail No. EL828141932US For: ARRAY-BASED PHOTOACOUSTIC SPECTROSCOPY



Ď

Lisa M. Caldwell Klarquist Sparkman et al 121 SW Salmon Street Suite 1600 Portland, Oregon 97204

Telephone: 503/226-7391

Our Ref. No. 23-59243
Express Mail No. EL828141932US
For: ARRAY-BASED
PHOTOACOUSTIC
SPECTROSCOPY
Mailed: November 13, 2001

